

PRE WIRED SOCKETS / MOUNTING PLATE



TP100 Coated steel, single socket mounting plate.
Individually packed.



TP106 Pre wired 12N socket and mounting plate with 1.5 metres of cable.
Individually packed.



TP107 Pre wired 12N and 12S sockets fitted to a double mounting plate with 1.5 metres of each cable.
Individually packed.

12V TRAILER PLUGS AND SOCKETS (7PIN)



TP720 12V trailer socket (7 PIN).
Material: Plastic.
Type: 12N.
Individually packed or box 20.



TP700 12V trailer plug (7 PIN).
Material: Plastic.
Type: 12N.
Individually packed or box 20.



TP730 12V trailer socket (7 PIN).
Material: Plastic.
Type: 12S.
Individually packed or box 20.



TP710 12V trailer plug (7 PIN).
Material: Plastic.
Type: 12S.
Individually packed or box 20.



TP750 12V trailer socket (7 PIN).
Material: Aluminium alloy.
Type: 12N.
Individually packed or box 20.



TP740 12V trailer plug (7 PIN).
Material: Aluminium alloy.
Type: 12N.
Individually packed or box 20.

TP102 Rubber gasket for sealing rear of 7 pin socket.
Pack size 20.



24V TRAILER PLUGS AND SOCKETS (7 PIN)

TP800 24V trailer socket (7 PIN)
Material: Aluminium alloy
Type: 24N to ISO 1185.
Individually packed.

TP801 24V trailer plug (7 PIN)
Material: Aluminium alloy
Type: 24N to ISO 1185.
Individually packed.



TP802 24V trailer socket (7 PIN)
Material: Aluminium alloy
Type: 24S to ISO 3731.
Individually packed.

TP803 24V trailer plug (7 PIN)
Material: Aluminium alloy
Type: 24S to ISO 3731.
Individually packed.



LAMPS

TP130 Number plate lamp complete with 12 volt bulbs. Ⓢ approved.
Individually packed.



TP131 Square 4 function rear lamp complete with 12 volt bulbs. Ⓢ approved.
Individually packed.



3 CORE ELECTRICAL COIL



EC301 3 core coil (3 x 0.75mm²).
Thin wall elastomeric rubber cores.
Black polyurethane sheath.
Working length 3 metres.
Sold individually.

5 CORE ELECTRICAL COIL



EC501 5 core coil (5 x 0.75mm²).
Thin wall elastomeric rubber cores.
Black polyurethane sheath.
Working length 3 metres.
Sold individually.

7 CORE ELECTRICAL COILS



EC701 7 core coil (6 x 1mm², 1 x 2mm²).
Thin wall elastomeric rubber cores.
Black polyurethane sheath.
Working length 3 metres.
Sold individually.



EC706 7 core coil (6 x 1mm², 1 x 2mm²).
Thin wall elastomeric rubber cores.
Black polyurethane sheath.
Complete with 2 rubber moulded plugs 24N to ISO 1185.
Working length 3 metres.
Sold individually.



EC707 7 core coil (6 x 1mm², 1 x 2mm²).
Thin wall elastomeric rubber cores.
Black polyurethane sheath.
Complete with 2 rubber moulded plugs 24S to ISO 3731.
Working length 3 metres.
Sold individually.